

DURON™ RECOMMENDED FOR INTERNATIONAL

**DURON.™ THE TOUGHER.
THE BETTER.™**



LUBRICANTS

AN HF SINCLAIR BRAND

Trademarks are owned or used under license.

INTERNATIONAL MOTORS IS A GLOBAL LEADER IN DIESEL HEAVY-DUTY TRUCKS AND ENGINES, **TRUSTED BY OPERATORS AROUND THE WORLD.**

Wherever you depend on International Motors (previously Navistar) equipment, your International equipment can depend on DURON™ heavy-duty diesel engine oils. Driven by API CK-4 and FA-4, it's the most durable, most protective, most advanced product line we've ever made.

In your International engines, our DURON product line is ready to help protect your reliability, extend drain intervals*, and even cut your fuel costs.

DURON. Recommended for International, whatever the challenge.



DURON RECOMMENDED FOR INTERNATIONAL ENGINES

	DURON	API LEVEL	APPROVAL
CONVENTIONAL OIL	DURON HP 15W-40	API CK-4	Approved
SYNTHETIC BLEND OIL	DURON SHP 15W-40	API CK-4	Approved
	DURON SHP 10W-30	API CK-4	Approved
SYNTHETIC OIL	DURON UHP 10W-40	API CK-4	Approved
	DURON UHP 10W-30	API CK-4	Approved
	DURON UHP 5W-40	API CK-4	Approved
	DURON UHP 5W-30	API CK-4	Approved
	DURON UHP 0W-30	API CK-4	Suitable for use
	DURON UHP 0W-40	API CK-4	Suitable for use
ADVANCED FUEL ECONOMY OIL	DURON ADVANCED 5W-30	API FA-4	Approved
	DURON ADVANCED 10W-30	API FA-4	Approved

API CK-4 – replaces API CJ-4 and previous categories, delivering higher performance levels and backwards compatible for older engines.

API FA-4 – an even more advanced lower viscosity oil that delivers better fuel economy in next generation diesel engines.

* Extending drain intervals should always be undertaken in conjunction with an oil analysis program.

INTERNATIONAL OIL DRAIN INTERVALS

ENGINE TYPE	SEVERE*	MODERATE*	LIGHT*
GHG '17 N13 EPA 10 MAXXFORCE® 13/11**	18,000 miles (29,000 km)	30,000 miles (48,000 km)	40,000 miles (64,000 km)
GHG '17 N10 GHG '17 N9	Check with International	Check with International	25,000 miles (40,000 km)
EPA 10 MAXXFORCE 9/7	Check with International	Check with International	15,000 miles (24,000 km)

* Light > 6.5 mpg (2.5 kpl); Moderate = 6.5 to 5.0 mpg (2.8 to 2.1 kpl); Severe < 5.0 mpg (2.1 kpl).

** For International EPA 10 MAXXFORCE 13 & 11 engines, they require the use of a centrifuge type filter. MAXXFORCE® is a registered trademark of International.



DURON™

HEAVY-DUTY ENGINE OILS
THE TOUGHER. THE BETTER.™

THE FULL DURON PRODUCT LINE FOR INTERNATIONAL ENGINES

DURON heavy-duty diesel engine oils are formulated to exceed API CK-4 and FA-4 requirements

DURON^{HP} 15W-40

DURON HP 15W-40 is a High Performance heavy-duty engine oil that delivers all-weather engine protection including dependable cold start-up and exceptional shear stability. It can deliver extended drain capabilities (exceeding OEM standard intervals)*.



DURON^{SHP} 15W-40

DURON SHP 15W-40 is a Super High Performance synthetic blend heavy-duty engine oil that delivers exceptional performance. Outstanding shear stability combined with superior wear protection helps deliver comprehensive protection to vital engine parts over a wide range of operating conditions. DURON SHP 15W-40 is designed to handle more demanding operations, as well as extending drains*.



DURON^{SHP} 10W-30

DURON SHP 10W-30 is a Super High Performance synthetic blend heavy-duty engine oil that delivers advanced engine protection and all-weather performance. It provides optimal engine durability and can deliver up to 1%** fuel economy improvement. DURON SHP 10W-30 keeps its fresh oil properties longer allowing for extended drains (versus OEM standard intervals)* and reduced need for top-up oil.



DURON^{UHP} 10W-40

DURON UHP 10W-40 is an Ultra High Performance synthetic all-weather heavy-duty diesel engine oil. It is formulated to provide exceptional protection against engine wear and extended drain performance (exceeding OEM standard intervals)* even in the harshest operating conditions and maximum allowable load conditions. It combines superior pumpability and shear stability with excellent engine wear control. DURON UHP 10W-40 can potentially help improve fuel economy through ease of start-up, lower viscous drag and avoidance of the need for idling.



DURON^{UHP} 10W-30

DURON UHP 10W-30 is an Ultra High Performance full synthetic heavy-duty engine oil designed for enhanced durability, performance and protection. It also helps provide up to 1%** fuel economy improvement to help meet customer sustainability goals. DURON UHP 10W-30 stays-in-grade longer which helps provide extended drains (versus OEM standard intervals)* and reduces the need for top-ups.



DURON^{UHP} 5W-40

DURON UHP 5W-40 is an Ultra High Performance full synthetic heavy-duty engine oil that provides excellent protection and performance, especially in low temperature environments. It helps conserve energy and reduces engine wear through ease of cold weather start-up and lower viscous drag.



DURON^{UHP} 5W-30

DURON UHP 5W-30 is an Ultra High Performance synthetic all-weather heavy-duty diesel engine oil formulated to provide fuel economy benefits and exceptional protection against engine wear and extended drain performance (exceeding OEM standard intervals)* even in severe operating conditions.



DURON^{UHP} 0W-30 and 0W-40

DURON UHP 0W-30 and 0W-40 are formulated with extreme cold service in mind. They are Ultra High Performance heavy-duty engine oils with top performance additives and high quality synthetic base oils that can help users extend oil drain intervals*.



DURON^{ADVANCED}

DURON ADVANCED formulated to the highest API diesel standards for 4-Stroke engine oils and are suitable for use in extended oil drain service. Extending drain intervals should always be undertaken with good operating practices and maintenance programs including an oil analysis program. API FA-4 provides additional fuel savings over CK-4 of the same grade, up to 1%***.



Durability



Engine Protection



Extended Drain



Extreme Temperature



Fuel Economy




Sustainability

API CK-4 – replaces API CJ-4 and previous categories, delivering higher performance levels and backwards compatible for older engines.

API FA-4 – an even more advanced lower viscosity oil that delivers better fuel economy in next generation diesel engines.

* Extending drain intervals should always be undertaken in conjunction with an oil analysis program. ** Comparing an SAE 15W-40 with 4.1cP HTHS vs a 10W-30 with 3.5cP HTHS. *** Comparing an SAE XW-30 with 3.5cP HTHS vs a XW-30 with 3.1cP HTHS.



OUR NO-NONSENSE LUBRICANTS WARRANTY

“Petro-Canada will repair damaged equipment, or replace damaged equipment parts resulting from a failure due to defects of the Petro-Canada lubricant, as long as the lubricant is used in accordance with your equipment manufacturer’s and our recommendations.”

IT’S MORE THAN JUST A WARRANTY. IT’S A COMMITMENT.

To learn more about how Petro-Canada Lubricants can help your business visit: petrocanadalubricants.com or contact us at lubecsr@hfsinclair.com

Committed to the disciplined operation of our business.



Trademarks are owned or used under license.
LUB3535E (2025.01)

AN HF SINCLAIR BRAND